

ANALYTICA CHIMICA ACTA, VOL. 209(1988)

AUTHOR INDEX

- Adžić, P. R., see Stojić, D. Lj. 185
- Alexandros, S. D., see Schweitzer, G. K. 363
- Almestrand, L.
—, Betti, M., Hua, C., Jagner, D. and Renman, L.
Determination of lead in whole blood with a simple flow-injection system and computerized stripping potentiometry 339
- Al-Tamrah, S. A.
Spectrophotometric determination of L-ascorbic acid in pharmaceutical preparations 309
- Al-Zamil, I. Z.
— and Townshend, A.
Molecular emission cavity analysis. Part 29. Determination of tin after conversion to its volatile hydride 275
- Appriou, P., see Percelay, L. 249
- Bangov, I. P.
Use of the ^{13}C -NMR chemical shift/charge density linear relationship for recognition and ranking of chemical structures 29
- Becerro Dominguez, F., see Hernandez Mendez, J. 205
- Berthod, A., see Brooks, S. H. 111
- Betti, M., see Almestrand, L. 339
- Brooks, S. H.
—, Berthod, A., Kirsch, B. A. and Dorsey, J. G.
Flow-injection system for determination of critical micelle concentrations of ionic and nonionic surfactants 111
- Buck, R. P., see Ihn, G.-S. 345
- Canham, J. S.
—, Gordon, G. and Pacey, G. E.
Optimization of parameters for gas-diffusion flow-injection systems 157
- Carabias Martinez, R., see Hernandez Mendez, J. 205
- Carpenter, R., see Ebdon, L. 135
- Černá, J., see Vytřas, K. 357
- Coenegracht, P. M. J., see van der Voet, H. 1
- Cullen, P., see Maher, W. 299
- Dan, S.-L., see Yao, S.-Z. 213
- Delft, van, W., see van Delft, W. 147
- Demertzis, M. A.
Fluorimetric determination of calcium in serum with calcein. Complexation of calcein with calcium and alkali metals 303
- Dorsey, J. G., see Brooks, S. H. 111
- Ebdon, L.
— and Carpenter, R.
Multi-element simplex optimization for inductively-coupled plasma/atomic emission spectrometry with a plasma torch fitted with a wide-bore injector tube. Part 2. Establishment of optimum conditions for minimum interference 135
- Eddowes, M. J.
A capillary suction pump giving constant flow rates 57
- Ferriol, M.
— and Gazet, J.
Ultraviolet absorption spectra of chloramines and chlorine in carbon tetrachloride 321
- Florence, T. M., see Morrison, G. M. P. 97
- Fudagawa, N., see Hioki, A. 281
- Furlonger, J., see Maher, W. 299
- Gazet, J., see Ferriol, M. 321
- Gordon, G., see Canham, J. S. 157
- Guglielmetti, R., see Percelay, L. 249
- Haapakka, K.
—, Kankare, J. and Kulmala, S.
Cathodic europium (III) electroluminescence at an oxide-coated aluminum electrode 165
- Handel, H., see Percelay, L. 249
- Harada, A.
—, Tarutani, T. and Yoshimura, K.
Spectrophotometric determination of ger-

- manium in rocks after selective adsorption on Sephadex gel 333
- Hayashi, Y.
—, Matsuda, R., Yoshioka, S. and Takeda, Y.
One-dimensional Kalman filter in a robot system for total analysis of solid dosage formulations 45
- Hemel, J. B., see van der Voet, H. 1
- Hernandez Mendez, J.
—, Carabias Martinez, R., Becerro Dominguez, F. and Jimenez Jimenez, J. I.
Determination of the pesticides Fenthion and Fenitrothion by flow injection with amperometric detection 205
- Hioki, A.
—, Fudagawa, N., Kubota, M. and Kawase, A.
Electrothermal atomic absorption spectrometric determination of copper and zinc in high-purity bismuth after thiocyanate extraction 281
- Hua, C., see Almestrand, L. 339
- Ihn, G.-S.
—, Sohn, M.-J. and Buck, R.P.
Solid-state ion-selective electrodes for the potentiometric determination of hexacyanoferrate(II) 345
- Imasaka, T., see Okazaki, T. 327
- Ishibashi, N., see Okazaki, T. 327
- Jagner, D., see Almestrand, L. 339
- Jansen, A.P., see Steigstra, H. 265
- Jimenez Jimenez, J.I., see Hernandez Mendez, J. 205
- Kalous, J., see Vyřas, K. 357
- Kankare, J., see Haapakka, K. 165
- Kateman, G., see Steigstra, H. 265
- Kawase, A., see Hioki, A. 281
- Kirsch, B.A., see Brooks, S.H. 111
- Kubota, M., see Hioki, A. 281
- Kukoř, A.H., see Stojić, D.Lj. 185
- Kulmala, S., see Haapakka, K. 165
- Lambert, D., see Maher, W. 299
- La Noce, T., see Pettine, M. 315
- Liberatori, A., see Pettine, M. 315
- Lintern, M.
—, Mann, A. and Longman, D.
The determination of gold by anodic stripping voltammetry 193
- Longman, D., see Lintern, M. 193
- Loreti, L., see Pettine, M. 315
- Ludvík, J.
—, and Volke, J.
Evidence for a radical intermediate in the anodic oxidation of reduced nicotinamide adenine dinucleotides obtained by electro-generated chemiluminescence 69
- Maher, W.
—, Lambert, D., Furlonger, J. and Cullen, P.
Determination of phosphorus in biological tissues by aluminium block digestion and flow-injection spectrophotometry 299
- Mann, A., see Lintern, M. 193
- Martinez Lozano, C.
—, Pérez-Ruiz, T., Tomás, V. and Yagüe, E.
Determination of paraquat in biological and environmental samples by a photokinetic method 79
- Mascini, M., see Palleschi, G. 223
- Matsuda, R., see Hayashi, Y. 45
- Mocák, J., see Németh, M. 87
- Morelli, B.
Determination of mixtures of ampicillin and cloxacillin in pharmaceuticals by second-derivative spectrophotometry 175
- Morrison, G.M.P.
—, and Florence, T.M.
Comparison of physicochemical speciation procedures with metal toxicity to *Chironella pyrenoidosa* 97
- Musil, S., see Németh, M. 87
- Nakamura, T.
—, Okubo, K. and Sato, J.
Atomic absorption spectrometric determination of copper in calcium carbonate scale and carbonate rocks by direct atomization of solid samples 287
- Németh, M.
—, Mocák, J. and Musil, S.
Spectrocoulometric study of the hydrolysis of the tris (1,10-phenanthroline) iron (III) complex ion 87
- Nie, L.-H., see Yao, S.-Z. 213

- Okazaki, T.
—, Imasaka, T. and Ishibashi, N.
Optical-fiber sensor based on the second-harmonic emission of a near-infrared semiconductor laser as light source 327
- Okubo, K., see Nakamura, T. 287
- Olason, B.
A flow-injection system based on immobilized penicillinase and a linear pH-buffer for potentiometric determination of penicillin 123
- Pacey, G.E., see Canham, J.S. 157
- Palleschi, G.
—, Rathore, H.S. and Mascini, M.
Amperometric probe for 3-hydroxybutyrate with immobilized 3-hydroxybutyrate dehydrogenase 223
- Pavlović, M.S., see Stojić, D.I. 185
- Percelay, L.
—, Appriou, P., Handel, H. and Guglielmetti, R.
Determination of trace amounts of copper and zinc in sea water with polymer-supported 1,4,8,11-tetraazacyclotetradecane 249
- Pérez-Ruiz, T., see Martínez Lozano, C. 79
- Petersson, B.A.
Amperometric assay of glucose and lactic acid by flow injection analysis 231
- Petersson, B.A.
Enzymatic determination of urea in undiluted whole blood by flow injection analysis using an ammonium ion-selective electrode 239
- Pettine, M.
—, La Noce, T., Liberatori, A. and Loreti, L.
Hydrogen peroxide interference in the determination of chromium(VI) by the diphenylcarbazide method 315
- Radzi, A.M.B.M., see Schweitzer, G.K. 363
- Rathore, H.S., see Palleschi, G. 223
- Renman, L., see Almestrand, L. 339
- Sanke Gowda, H., see Thimme Gowda, A. 293
- Sato, J., see Nakamura, T. 287
- Sato, Y., see Uchiyama, S. 351
- Schweitzer, G.K.
—, Radzi, A.M.B.M. and Alexandratos, S.D.
A cation affinity series for a phosphinic acid ion-exchange resin 363
- Šílená, I., see Vytřas, K. 357
- Šimšková, B., see Vytřas, K. 357
- Sohn, M.-J., see Ihn, G.-S. 345
- Steigstra, H.
—, Jansen, A.P. and Kateman, G.
Evaluation of classification results with the disjoint classification program SOLOMON 265
- Stojić, D.I.
—, Pavlović, M.S., Vasić, V.M., Kukoč, A.H. and Adžić, P.R.
Evaluation of x-ray fluorescence spectrometry for the determination of platinum in catalysts and comparison with other spectrometric techniques 185
- Storek, W.
One-bit quantization of computer-stored spectra 271
- Suzuki, S., see Uchiyama, S. 351
- Takeda, Y., see Hayashi, Y. 45
- Tarutani, T., see Harada, A. 333
- Thimme Gowda, A.
— and Sanke Gowda, H.
Spectrophotometric determination of vanadium(V) with methoxypropazine maleate and its application to vanadium steels and minerals 293
- Tofuku, Y., see Uchiyama, S. 351
- Tomás, V., see Martínez Lozano, C. 79
- Townshend, A., see Al-Zamil, I.Z. 275
- Uchiyama, S.
—, Sato, Y., Tofuku, Y. and Suzuki, S.
Di-isopropyl fluorophosphate electrode based on squid nerve tissue 351
- Van Delft, W.
— and Vos, G.
Comparison of digestion procedures for the determination of mercury in soils by cold-vapour atomic absorption spectrometry 147
- Van der Voet, H.
—, Coenegracht, P.M.J. and Hemel, J.B.
The evaluation of probabilistic classification methods. Part 2. Comparison of

- SIMCA, ALLOC, CLASSY and LDA 1
- Vasić, V.M., see Stojić, D.Lj. 185
- Voet, van der, H., see Van der Voet, H. 1
- Volke, J., see Ludvík, J. 69
- Vos, G., see van Delft, W. 147
- Vytřas, K.
- , Kalous, J., Šimíčková, B., Černá, J. and Štlená, I.
- Potentiometric titration of palladium(II) halide complex anions based on ion-pair formation 357
- Wasa, T., see Yao, T. 259
- Yagüe, E., see Martinez Lozano, C. 79
- Yao, S.-Z.
- , Dan, S.-L. and Nie, L.-H.
- Selective determination of silver in solution by adsorption on a piezoelectric quartz crystal 213
- Yao, T.
- , and Wasa T.
- High-performance liquid chromatographic detection of L- and D-amino acids by use of immobilized enzyme electrodes as detectors 259
- Yoshimura, K., see Harada, A. 333
- Yoshioka, S., see Hayashi, Y. 45



ANALYTICA CHIMICA ACTA

International journal devoted to all branches of analytical chemistry

(Abstracted, Indexed in: Anal. Abstr.; Biol. Abstr.; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Life Sci.; Index Med.; Mass Spectrom. Bull.; Sci. Citation Index; Excerpta Med.)

VOL. 209

CONTENTS

JUNE 15, 1988

Computer Techniques and Applications

- The evaluation of probabilistic classification methods. Part 2. Comparison of SIMCA, ALLOC, CLASSY and LDA
H. van der Voet, P.M.J. Coenegracht and J.B. Hemel (Groningen, The Netherlands) 1
- Use of the ^{13}C -NMR chemical shift/charge density linear relationship for recognition and ranking of chemical structures
I.P. Bangov (Sofia, Bulgaria) 29
- One-dimensional Kalman filter in a robot system for total analysis of solid dosage formulations
Y. Hayashi, R. Matsuda, S. Yoshioka and Y. Takeda (Tokyo, Japan) 45

General Analytical Chemistry

- A capillary suction pump giving constant flow rates
M.J. Eddowes (Hayes, Gt. Britain) 57
- Evidence for a radical intermediate in the anodic oxidation of reduced nicotinamide adenine dinucleotides obtained by electrogenerated chemiluminescence
J. Ludvík and J. Volke (Praha, Czechoslovakia) 69
- Determination of paraquat in biological and environmental samples by a photokinetic method
C. Martínez Lozano, T. Pérez-Ruiz, V. Tomás and E. Yagüe (Murcia, Spain) 79
- Spectrocoulometric study of the hydrolysis of the tris(1,10-phenanthroline)iron(III) complex ion
M. Németh, J. Mocák and S. Musil (Bratislava, Czechoslovakia) 87
- Comparison of physicochemical speciation procedures with metal toxicity to *Chlorella pyrenoidosa*
G.M.P. Morrison and T.M. Florence (Menai, N.S.W., Australia) 97
- Flow-injection system for determination of critical micelle concentrations of ionic and nonionic surfactants
S.H. Brooks, A. Berthod, B.A. Kirsch and J.G. Dorsey (Gainesville, FL, U.S.A.) 111
- A flow-injection system based on immobilized penicillinase and a linear pH-buffer for potentiometric determination of penicillin
B. Olsson (Lund, Sweden) 123

Spectrometric Methods

- Multi-element simplex optimization for inductively-coupled plasma/atomic emission spectrometry with a plasma torch fitted with a wide-bore injector tube. Part 2. Establishment of optimum conditions for minimum interference
L. Ebdon (Plymouth, Gt. Britain) and R. Carpenter (Aldermaston, Gt. Britain) 135
- Comparison of digestion procedures for the determination of mercury in soils by cold-vapour atomic absorption spectrometry
W. van Delft and G. Vos (Wageningen, The Netherlands) 147
- Optimization of parameters for gas-diffusion flow-injection systems
J.S. Canham, G. Gordon and G.E. Pacey (Oxford, OH, U.S.A.) 157
- Cathodic europium(III) electroluminescence at an oxide-coated aluminum electrode
K. Haapakka, J. Kankare and S. Kulmala (Turku, Finland) 165

(Continued overleaf)

(Contents continued)

Determination of mixtures of ampicillin and cloxacillin in pharmaceuticals by second-derivative spectrophotometry B. Morelli (Bari, Italy)	175
Evaluation of x-ray fluorescence spectrometry for the determination of platinum in catalysts and comparison with other spectrometric techniques D.I. Stojić, M.S. Pavlović, V.M. Vasić, A.H. Kukoć and P.R. Adžić (Belgrade, Yugoslavia)	185
<i>Electrometric Methods</i>	
The determination of gold by anodic stripping voltammetry M. Lintern, A. Mann and D. Longman (Wembley, WA, Australia)	193
Determination of the pesticides Fenthion and Fenitrothion by flow injection with amperometric detection J. Hernandez Mendez, R. Carabias Martinez, F. Becerro Dominguez and J.I. Jimenez Jimenez (Salamanca, Spain)	205
Selective determination of silver in solution by adsorption on a piezoelectric quartz crystal S.-Z. Yao, S.-L. Dan and L.-H. Nie (Changsha, China)	213
Amperometric probe for 3-hydroxybutyrate with immobilized 3-hydroxybutyrate dehydrogenase G. Palleschi, H.S. Rathore (Rome, Italy) and M. Mascini (Firenze, Italy)	223
Amperometric assay of glucose and lactic acid by flow injection analysis B.A. Petersson (Copenhagen, Denmark)	231
Enzymatic determination of urea in undiluted whole blood by flow injection analysis using an ammonium ion-selective electrode B.A. Petersson (Copenhagen, Denmark)	239
<i>Separations</i>	
Determination of trace amounts of copper and zinc in sea water with polymer-supported 1,4,8,11-tetraazacyclotetradecane L. Perceley, P. Appriou, H. Handel and R. Guglielmetti (Brest, France)	249
High-performance liquid chromatographic detection of L- and D-amino acids by use of immobilized enzyme electrodes as detectors T. Yao and T. Wasa (Sakai, Japan)	259
<i>Short Communications</i>	
Evaluation of classification results with the disjoint classification program SOLOMON H. Steigstra, A.P. Jensen and G. Kateman (Nijmegen, The Netherlands)	265
One-bit quantization of computer-stored spectra W. Storek (Berlin, G.D.R.)	271
Molecular emission cavity analysis. Part 29. Determination of tin after conversion to its volatile hydride I.Z. Al-Zamil (Riyadh, Saudi Arabia) and A. Townshend (Hull, Gt. Britain)	275
Electrothermal atomic absorption spectrometric determination of copper and zinc in high-purity bismuth after thiocyanate extraction A. Hioki, N. Fudsgawa, M. Kubota and A. Kawase (Ibaraki, Japan)	281
Atomic absorption spectrometric determination of copper in calcium carbonate scale and carbonate rocks by direct atomization of solid samples T. Nakamura, K. Okubo and J. Sato (Kawasaki, Japan)	287
Spectrophotometric determination of vanadium(V) with methoxypyrimazine maleate and its application to vanadium steels and minerals A. Thimme Gowda (Karnataka, India) and H. Sanke Gowda (Bangalore, India)	293

Determination of phosphorus in biological tissues by aluminium block digestion and flow-injection spectrophotometry W. Maher, D. Lambert, J. Furlonger and P. Cullen (Belconnen, A.C.T., Australia).....	299
Fluorimetric determination of calcium in serum with calcein. Complexation of calcein with calcium and alkali metals M.A. Demertzis (Ioannina, Greece)	303
Spectrophotometric determination of L-ascorbic acid in pharmaceutical preparations S.A. Al-Tamrah (Riyadh, Saudi Arabia).....	309
Hydrogen peroxide interference in the determination of chromium(VI) by the diphenylcarbazide method M. Pettine, T. La Noce, A. Liberatori and L. Loreti (Rome, Italy)	315
Ultraviolet absorption spectra of chloramines and chlorine in carbon tetrachloride M. Ferriol and J. Gazet (Villeurbanne, France).....	321
Optical-fiber sensor based on the second-harmonic emission of a near-infrared semiconductor laser as light source T. Okazaki, T. Imasaka and N. Ishibashi (Fukuoka, Japan).....	327
Spectrophotometric determination of germanium in rocks after selective adsorption on Sephadex gel A. Harada, T. Tarutani and K. Yoshimura (Fukuoka, Japan)	333
Determination of lead in whole blood with a simple flow-injection system and computerized stripping potentiometry L. Almestrand, M. Betti, C. Hua, D. Jagner and L. Renman (Lund, Sweden)	339
Solid-state ion-selective electrodes for the potentiometric determination of hexacyanoferrate(II) G.-S. Ihn, M.-J. Sohn (Daegu, Korea) and R.P. Buck (Chapel Hill, NC, U.S.A.).....	345
Di-isopropyl fluorophosphate electrode based on squid nerve tissue S. Uchiyama, Y. Sato, Y. Tofuku and S. Suzuki (Saitama, Japan).....	351
Potentiometric titration of palladium(II) halide complex anions based on ion-pair formation K. Vytřas, J. Kalous, B. Šimíčková, J. Černá and I. Šilená (Pardubice, Czechoslovakia)	357
A cation affinity series for a phosphinic acid ion-exchange resin G.K. Schweitzer, A.M.B.M. Radzi and S.D. Alexandratos (Knoxville, TN, U.S.A.).....	363
Author Index.....	367